



HIGH  
PERFORMANCE  
THERMOPLASTICS

The background features a series of thin, parallel blue lines that curve from the top left towards the center, creating a sense of motion. Below these lines, the bottom half of the page is filled with a dense field of small, clear, translucent plastic granules, which are scattered across a dark blue gradient background.

**LATI INDUSTRIA TERMOPLASTICI**  
**PRODUCT RANGE**

# LATI PRODUCT RANGE

LATI NOMENCLATURE		NATURAL & COLOURED	MINERAL FILLED	GLASS BEADS	GLASS FIBRES	CARBON FIBRES	ELASTOMER MODIFIED	FLAME RETARDANT	SELF LUBRICATING	ANTISTATIC & CONDUCTIVE	"EMI" SHIELDING
High Performance	PEEK <b>LARPEEK</b>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	PPS <b>LARTON®</b>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	PPA <b>LARAMID</b>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		
	PPSU <b>LAPEX R</b>	<input type="checkbox"/>			<input type="checkbox"/>			<input checked="" type="checkbox"/>			
	PES <b>LAPEX A</b>	<input type="checkbox"/>			<input type="checkbox"/>			<input checked="" type="checkbox"/>			
	PSU <b>LASULF</b>	<input type="checkbox"/>			<input type="checkbox"/>			<input checked="" type="checkbox"/>			
Semi - crystallines	PPh/PPc <b>LATENE/LATENE EP®</b>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	PA6 <b>LATAMID® 6</b>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	PA6 <b>KELON B</b>		<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>			
	PA66 <b>LATAMID® 66</b>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	PA66 <b>KELON A</b>		<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>			
	PAC <b>LATAMID® 68</b>				<input type="checkbox"/>			<input type="checkbox"/>			
	PAC <b>LATAMID® SP</b>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>					
	PA12 <b>LATAMID® 12</b>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>					
	PBT <b>LATER®</b>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	POM <b>LATAN</b>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Amorphous	ABS <b>LASTILAC</b>			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
	SAN <b>LASTIL</b>				<input type="checkbox"/>			<input type="checkbox"/>			
	PC <b>LATILON®</b>	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	PPOm <b>LARIL</b>	<input type="checkbox"/>			<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
	PUR <b>LASTANE</b>	<input type="checkbox"/>			<input type="checkbox"/>						
Blends	ABS/PC <b>LASTILAC® 10</b>	<input type="checkbox"/>			<input type="checkbox"/>						
	PBT/PC <b>LATIBLEND</b>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>			
	PBT/ABS <b>LATIBLEND</b>		<input type="checkbox"/>		<input type="checkbox"/>			<input type="checkbox"/>			
	PA/PP <b>LATIBLEND</b>	<input type="checkbox"/>			<input type="checkbox"/>						
Specials	<b>LATILUB®</b>	SELF-LUBRICANT COMPOUNDS									
	<b>LATIOHM®</b>	ELECTRICALLY CONDUCTIVE COMPOUNDS									
	<b>LATISTAT</b>	ANTISTATIC COMPOUNDS									
	<b>LATISHIELD®</b>	E.M.I. SHIELDING COMPOUNDS									
	<b>LATICONTER®</b>	HIGH THERMAL CONDUCTIVITY COMPOUNDS									
	<b>LATIGLOSS®</b>	EXCELLENT SURFACE FINISH ON STRUCTURAL COMPOUNDS									
	<b>LATIGRAY</b>	RADIO-OPAQUE COMPOUNDS									
	<b>LATIMASS</b>	LOW / HIGH DENSITY COMPOUNDS									
	<b>LATIGE A</b>	BIOPOLYMER BASED COMPOUNDS									



Intrinsically self-extinguishing



## International sales organization

### ITALY

LATI Industria  
Termoplastici S.p.A.

Via F. Baracca, 7  
I - 21040 VEDANO OLONA (Va)  
tel. +39 - 0332 409111  
fax +39 - 0332 409307  
<http://www.lati.com> - e-mail: [info@lati.com](mailto:info@lati.com)

### GERMANY

LATI Industria  
Termoplastici  
Deutschland GmbH

Otto-Von-Guericke-Ring, 7  
D - 65205 WIESBADEN - Nordenstadt  
tel. +49 (0)6122 - 90820  
fax +49 (0)6122 - 908222  
<http://www.lati.com> - e-mail: [info@de.lati.com](mailto:info@de.lati.com)

### FRANCE

LATI FRANCE S.A.S.

Z.I. des Ebizoires, 4 Rue des Frères Lumière  
F - 78370 PLAISIR  
tel. +33 (0)1 - 30791819  
fax +33 (0)1 - 30791818  
<http://www.lati.com> - e-mail: [info@fr.lati.com](mailto:info@fr.lati.com)

### UNITED KINGDOM

LATI UK LTD.

Crewe Hall - Weston Road - The Quadrangle  
UK - Crewe - Cheshire - CW1 6UA  
tel. +44 (0)1270 - 501713  
fax +44 (0)1270 - 509713  
<http://www.lati.com> - e-mail: [info@uk.lati.com](mailto:info@uk.lati.com)

### SPAIN

LATI Ibérica, S.L.  
Unipersonal

C/ Muntaner, 270 - Sobreático A  
E - 08021 BARCELONA  
tel. +34 93 - 2097377  
fax +34 93 - 2011519  
<http://www.lati.com> - e-mail: [info@es.lati.com](mailto:info@es.lati.com)

### USA

LATI Industria  
Termoplastici S.p.A.

Via F. Baracca, 7  
I - 21040 VEDANO OLONA (Va)  
tel. +39 - 0332 409111  
fax +39 - 0332 409235  
<http://www.lati.com> - e-mail: [sales@it.lati.com](mailto:sales@it.lati.com)

### SWEDEN

SCANDILATI  
TERMOPLASTICI AB

Gullbergs Strandgata 36 A-C  
S - 41104 GÖTEBORG  
tel. +46 (0)31 - 7740236  
fax +46 (0)31 - 7740736  
<http://www.lati.com> - e-mail: [info@se.lati.com](mailto:info@se.lati.com)

### ASIA

LATI (Shanghai)  
Co., Ltd.

Room 401D, No. 567 Tian Yao Qiao Road,  
Xuhui District, 200030 Shanghai  
tel. +86 - 21 - 22157931  
fax +86 - 21 - 22157932  
<http://www.lati.com> - e-mail: [info@cn.lati.com](mailto:info@cn.lati.com)

### BRASIL

LATI TERMOPLÁSTICOS  
DO BRASIL LTDA

AV. Prof. Gioia Martins, 206  
CEP: 05632-020 - SÃO PAULO - SP  
tel. +55 (0)11 - 35024700  
fax +55 (0)11 - 35024700  
<http://www.lati.com> - e-mail: [info@br.lati.com](mailto:info@br.lati.com)

### SCHWEIZ

Schweiz  
Lati Thermoplastics SA

Via Motta, 37 - Postfach 5254  
CH - 6850 MENDRISIO  
tel. +39 - 0332 409111  
fax +39 - 0332 409235  
<http://www.lati.com> email: [info@ch.lati.com](mailto:info@ch.lati.com)



### BY PLANE

The airports of Milan Linate and Malpensa airport offer frequent flights, and an efficient scheduled connection. It's possible use the railway to reach Vedano Olona.



### BY CAR

Vedano Olona is about an hour's drive from Milan and thirty minutes from Lugano. The highway used is the A8 (Varese - Milano) the motorway exit is Gazzada, follow the SP 57, SP 233, SP 60, following the signs LATI.



### BY TRAIN

Station Vedano Olona located a few minutes walking from the LATI is about an hour's train ride from the station of Cadorna (LeNORD) located in Milan. The races are every 30 minutes.

UNI EN ISO 9001:2008



SISTEMA DI GESTIONE  
QUALITÀ CERTIFICATO

CERTIQALITY  
È MEMBRO DELLA  
FEDERAZIONE CISQ



UNI EN ISO 14001:2004



SISTEMA DI GESTIONE  
AMBIENTALE CERTIFICATO

CERTIQALITY  
È MEMBRO DELLA  
FEDERAZIONE CISQ

